





MINI CABRIO.
MINI CLUBMAN.
MINI.





On the following pages you'll find a few phrases that should be familiar to MINI drivers all over the world.

Details of fuel consumption and CO₂ emissions as required under EU law can be found in the Technical Data sections.



OUVERTURE 24 H/ 24. FERMETURE EN 15 SECONDES.

(OPEN 24/7. CLOSES IN JUST 15 SECONDS.)

8AM

8AM

Blink and you'll miss it. The integrated sunroof function can even be operated while the car is in motion.



IL PASSO E LA CARREGGIATA? PRESTO DETTO: LUNGO E LARGA.
(WHEELBASE AND TRACK? IN TWO WORDS: "LONG" AND "WIDE".)

Wide track, long wheelbase, short overhangs, low centre of gravity - it all adds up to pure go-kart feeling.

INDGROEDE VANER EFTERLADES VED DØREN.
(PLEASE HAND YOUR PRECONCEPTIONS IN AT THE DOOR.)

The MINI Cooper S Clubman, with Clubdoor on the right-hand side and Splitdoor at the rear.



TE SNEL? MAAR IK ZAT NOG MAAR IN TWEE! (TOO FAST? BUT I WAS ONLY IN SECOND GEAR!)


The MINI Cooper S has a displacement of 1.6 litres, a power output of 175 horsepower (128 kW), 260 Nm of torque with the overboost function activated, and races to 100 km/h in just 7.1 seconds.


MEJOR PROTEGIDO QUE EL MUSEO DE ARTE MODERNO. (BETTER PROTECTED THAN THE MUSEUM OF MODERN ARTS.)


ABS, CBC, EBD, ASC+T and DSC come as standard, while DTC is available as option – on the MINI Cabrio as on every MINI.

MINI ONE. MINI ONE D. MINI COOPER. MINI COOPER D. MINI COOPER S.


MINI ONE. (MINI ONE D). MINI COOPER. (MINI COOPER D).









MINI COOPER S.









All figures in millimetres.

There is a generous amount of interior space, and the seats adjust to give a perfect fit for passengers of all shapes and sizes.





Way to go! The optional navigation system with 16:9 LCD monitor guides you to your destination with a combination of voice directions, arrows and/or maps.



There are five different surface finishes for the instrument panel available on each model. These can be combined with four Colour Line colours for the knee roll and the armrests in the doors.


TECHNICAL DATA*

TECHNICAL DATA"		MINI ONE 55 KW / 70 KW	MINI ONE D	MINI COOPER	MINI COOPER D	MINI COOPER S
Unladen weight (EU)	kg	1135 / 1135 [1175]	1165	1140 [1180]	1165 [1195]	1205 [1230]
Displacement	cm³	1397 / 1397	1560	1598	1560	1598
Max. output/max. revs	kW/hp/rpm	55/75/4500 70/95/6000	66/90/4000	88/120/6000	80/110/4000	128/175/5500
Max. torque/revs	Nm/rpm	120/2500 140/4000	215/1750	160/4250	240 (260)**/ 1750-2000	240 (260)**/ 1600-5000
Acceleration 0-100 km/h	sec	13.2 / 10.9 [12.6]	11.5	9.1 [10.4]	9.9 [10.3]	7.1 [7.3]
Acceleration 80-120 km/h (4th/5th gear) sec		13.2/16.7 / 11.6/14.8	9.5/11.9	9.6/12.1	7.4/9.5	5.6/7.0
Top speed	km/h	175 / 185 [180]	182	203 [197]	195 [190]	225 [220]
Fuel consumption (urban)	l/100 km	6.8 / 6.8 [9.0]	4.7	6.9 [9.1]	4.7 [6.5]	7.9 [9.5]
Fuel consumption (extra-urban)	l/100 km	4.4 / 4.4 [5.0]	3.5	4.5 [5.0]	3.5 [4.2]	5.5 [5.7]
Fuel consumption (combined EU cycle)	l/100 km	5.3 / 5.3 [6.5]	3.9	5.4 [6.5]	3.9 [5.0]	6.4 [7.1]
Luggage capacity	o Teles	160-680 / 160-680	160-680	160-680	160-680	160-680
CO ₂ emissions	g/km	128 / 128 [155]	104	129 [156]	104 [134]	149 [165]
Tank capacity	1 /	40 / 40	40	40	40	50

All figures relate to vehicles with the standard 6-speed manual transmission. Figures in square brackets relate to vehicles with 6-speed automatic transmission.

* MINI models comply with the EU4 emissions standard. The MINI Cooper S complies with the EU5 standard.


- ** With overboost function.



Contrast roof in White



Contrast roof in Black



Roof in body colour

MINI ONE/MINI ONE D


Roof in body colour, mirror caps in Matt Black.

MINI COOPER/MINI COOPER D/MINI COOPER S

- Contrast roof in White, mirror caps in High-Gloss White
- Contrast roof in Black, mirror caps in High-Gloss Black
- Roof in body colour, mirror caps in body colour (no-cost option)

The MINI is available in a wide choice of metallic and non-metallic colours. But whichever you choose, it's guaranteed to look good.

NON-METALLIC COLOURS




Pepper White

Oxygen Blue¹




Chili Red



Pure Silver¹








Sparkling Silver Green


British Racing

Horizon Blue

Midnight Black










Dark Silver Laser Blue² ¹ Not available on MINI Cooper S. ² Only available on MINI Cooper S.

MINI COOPER CABRIO. MINI COOPER S CABRIO.


MINI COOPER CABRIO.









MINI COOPER S CABRIO.







All figures in millimetres.



The soft top on the MINI Cabrio not only opens and closes at the touch of a button (in just 15 seconds), but also features an integrated sunroof function that opens to a maximum of 40 centimetres and can be operated while the car is moving at up to 120 km/h.

TECHNICAL DATA*			MINI COOPER CABRIO	MINI COOPER S CABRIO		
Unladen weight (EU)	kg		1240 [1280]	1305 [1330]		
Displacement	cm ³		1598	1598		
Max. output/max. revs	kW/hp/rpm		88/120/6000	128/175/5500		
Max. torque/revs	Nm/rpm		160/4250	240 (260)**/ 1600-5500		
Acceleration 0-100 km/h	sec	XHHAL	9.8 [11.1]	7.4 [7.7]		
Acceleration 80-120 km/h (4th/5th gear)	sec		10.5/13.3	6.2/7.9		
Top speed	km/h		198 [191]	222 [217]		
Fuel consumption (urban)	l/100 km		7.4 [9.3]	8.1 [9.7]		
Fuel consumption (extra-urban)	I/100 km	AMERICAN PROPERTY.	4.7 [5.2]	5.7 [5.9]		
Fuel consumption (combined EU cycle)	I/100 km		5.7 [6.7]	6.6 [7.3]		
Luggage capacity			125/170-660	125/170-660		
CO emissions	g/km		137 [161]	153 [170]		

All figures relate to vehicles with the standard 6-speed manual transmission. Figures in square brackets relate to vehicles with 6-speed automatic transmission.


* MINI models comply with the EU4 emissions standard. The MINI Cooper S Cabrio complies with the EU5 standard.

Tank capacity




Soft top in Black





Hot Chocolate






SOFT TOP IN BLACK: as standard on all MINI Cabrios.

SOFT TOP IN HOT CHOCOLATE: available as an option on the MINI Cooper Cabrio and MINI Cooper S Cabrio.

SOFT TOP IN DENIM BLUE WITH SILVER EFFECT: available as an option on the MINI Cooper Cabrio and MINI Cooper S Cabrio.

With a MINI Cabrio, there are more possibilities than you ever imagined. And that goes for the choice of paints, upholstery and soft top colours too. There is an almost bewildering variety of possible combinations. But whichever one you go for, it's sure to look good.


NON-METALLIC COLOURS







Chili Red



Hot Chocolate¹


Pure Silver



METALLIC COLOURS



Sparkling Silver





British Racing



Horizon Blue



Midnight Black



Dark Silver²

Laser Blue²


¹ Not available on MINI Cooper S Cabrio. ² Only available on MINI Cooper 5 Cabrio.


Interchange Yellow


Nightfire Red¹

MINI ONE CLUBMAN. MINI COOPER CLUBMAN. MINI COOPER D CLUBMAN. MINI COOPER S CLUBMAN.


MINI ONE CLUBMAN. MINI COOPER CLUBMAN. (MINI COOPER D CLUBMAN).









MINI COOPER S CLUBMAN.







All figures in millimetres.

A quick left-right combination – access to the rear luggage area of the MINI Clubman is via the Splitdoor at the back of the car, with the two halves opening one after the other.





Twice as nice the elliptical door trim, featuring a loudspeaker, storage compartment and armrest, is found in the rear of the MINI Clubman too.



Welcome to the club. The rear door opens backwards for ultra-easy access to the rear seat bench.

TECHNICAL DATA*

	MINI ONE CLUBMAN	MINI COOPER CLUBMAN	CLUBMAN	MINI COOPER S CLUBMAN
kg	1215 [1255]	1220 [1260]	1250 [1280]	1280 [1305]
cm³	1397	1598	1560	1598
kW/hp/rpm	70/95/6000	88/120/6000	80/110/4000	128/175/5500
Nm/rpm	140/4000	160/4250	240 (260)**/ 1750-2000	240 (260)**/ 1600-5000
sec	11.6 [13.3]	9.8 [10.9]	10.4 [10.9]	7.6 [7.8]
sec	12.4/16.0	10.2/12.7	7.9/10.2	5.9/7.6
km/h	183 [178]	201 [195]	193 [188]	224 [219]
l/100 km	6.9 [9.1]	7.1 [9.2]	4.9 [6.6]	7.9 [9.6]
l/100 km	4.5 [5.1]	4.5 [5.1]	3.6 [4.2]	5.5 [5.8]
I/100 km	5.4 [6.6]	5.5 [6.6]	4.1 [5.1]	6.4 [7.2]
1	260-930	260-930	260-930	260-930
g/km	130 [158]	132 [159]	109 [136]	150 [168]
39 A	40	40	40	50
	cm³ kW/hp/rpm Nm/rpm sec sec km/h l/100 km l/100 km l/100 km	kg 1215 [1255] cm³ 1397 kW/hp/rpm 70/95/6000 Nm/rpm 140/4000 sec 11.6 [13.3] sec 12.4/16.0 km/h 183 [178] l/100 km 6.9 [9.1] l/100 km 4.5 [5.1] l/100 km 5.4 [6.6] l 260-930 g/km 130 [158]	kg 1215 [1255] 1220 [1260] cm³ 1397 1598 kW/hp/rpm 70/95/6000 88/120/6000 Nm/rpm 140/4000 160/4250 sec 11.6 [13.3] 9.8 [10.9] sec 12.4/16.0 10.2/12.7 km/h 183 [178] 201 [195] I/100 km 6.9 [9.1] 7.1 [9.2] I/100 km 4.5 [5.1] 4.5 [5.1] I/100 km 5.4 [6.6] 5.5 [6.6] I 260-930 260-930 g/km 130 [158] 132 [159]	kg 1215 [1255] 1220 [1260] 1250 [1280] cm³ 1397 1598 1560 kW/hp/rpm 70/95/6000 88/120/6000 80/110/4000 Nm/rpm 140/4000 160/4250 240 (260)**/1750-2000 sec 11.6 [13.3] 9.8 [10.9] 10.4 [10.9] sec 12.4/16.0 10.2/12.7 7.9/10.2 km/h 183 [178] 201 [195] 193 [188] I/100 km 6.9 [9.1] 7.1 [9.2] 4.9 [6.6] I/100 km 4.5 [5.1] 4.5 [5.1] 3.6 [4.2] I/100 km 5.4 [6.6] 5.5 [6.6] 4.1 [5.1] I 260-930 260-930 260-930 g/km 130 [158] 132 [159] 109 [136]

All figures relate to vehicles with the standard 6-speed manual transmission. Figures in square brackets relate to vehicles with 6-speed automatic transmission.

* MINI models comply with the EU4 emissions standard. The MINI Cooper S Clubman complies with the EU5 standard.

**With overboost function.

The last word in customization. When it comes to the colour of the roof and C-pillar on the MINI Clubman, you're not short of choice. Depending on the model and exterior colour, the following options are available: roof in body colour/C-pillar in Black, roof in body colour/C-pillar in Silver, roof in Black/C-pillar in Black, roof in Silver/C-pillar in Silver.









For more information, visit www.MINI.com

Choose from a wide range of metallic and non-metallic colours for your MINI Clubman.

NON-METALLIC **COLOURS**



Pepper White



Hot Chocolate

METALLIC







British Racing







Horizon Blue



Midnight Black

Chili Red







Nightfire Red¹

Sparkling Silver







1 Not available on MINI Cooper S Clubman. ² Only available on MINI Cooper S Clubman.

RECYCLING.

At every stage, from design to disassembly, recycling is central to the MINI philosophy. For example, all the materials used in its manufacture were selected because they can be used in a sustainable and environmentally friendly way. And every MINI is built to be easily and economically recycled when its driving days are finally done. We have been working on this approach since 1994 at the BMW Group Recycling and Disassembly Centre in Munich, the only facility of its kind. Your authorized MINI dealer will also be pleased to advise you on the disposal of your old vehicle.

WARRANTY.

Every MINI is supplied with a 2-year unlimited mileage dealer warranty. (This excludes wear-and-tear parts.)

Every MINI also comes with a 12-year anti-corrosion warranty, which covers the vehicle against rusting of the body panels. This warranty is dependent on any previous damage to the vehicle body or under-body (e.g. stone impact damage, scratches, dents, accident damage or other damage caused by environmental factors) having been correctly repaired in accordance with current MINI guidelines.

The painted surfaces of the car are covered by an extended 3-year warranty. This excludes any damage to painted surfaces caused by external or environmental factors.

The models, standard and optional equipment and combinability of options in this flyer relate to cars supplied by BMW AG for the German market. The availability of standard and optional equipment, and the combinability of options, may vary from country to country within the European Union for all models. For detailed information about the situation in your country, please contact your authorized MINI dealer. Subject to change in design and equipment.

© BMW AG, Munich, Germany. Not to be reproduced, wholly or in part, without written permission of BMW AG, Munich.

www.MINI.com www.MINI.com/accessories

www.MINI-shop.com